

## Falco Gypsum Joint Compound

### Product Description

Falco Gypsum Joint Compound is based on acrylic copolymer water base product formulated to give a smooth finish joint mixture which is able to fill up the gaps and provide resistance to shrinkage under normal conditions.

### Recommended Usage

To be used for interior surfaces such as concrete, plaster and brick works surfaces.

### Technical Data

Color	Off White	
Finish	Smooth / Matt	
Solid Content	62 % ± 2 by volume	
Viscosity	Thick paste	
Specific gravity	1.66 gm/cm <sup>3</sup>	
Drying time	Dry to touch (hours)	1
	Dry to recoat (hours)	8
Cleaning	Fresh water	

### Application Data

#### Surface Preparation

The surface must be clean, dry and free from dust, oil, grease and any contaminations.

#### Tools

Putty knife (recommended).

#### Application Method

Apply Falco Gypsum joint Compound by putty knife for hair cracks only.

### Packing size

- 1 US gallon and 5 US gallons plastic or steel cans (for local).
- 1 US gallon, 18 liters steel cans (for export).

### Storage

- The product should be stored in a dry, cool place and away from direct sun light.
- Cans should be well closed, classified according to the material's base and to be arranged by a maximum 3 plastic cans/row and 5 steel cans/row.

### Health and safety

- Inhalation Risks:

Vapor or mist can cause headache, nausea & irritation of the nose throat & lungs.

## WATER BASE

---

- Skin & Eye Contact:  
Use good personal hygiene practices while working with this material. Dry contaminated clothing before reuse. For eye contact, flush with fresh water for at least 15 minutes. If irritation persists, get medical attention.
- Skin Absorption : None expected.
- Ingestion Health Risks:  
It may be harmful or fatal. If swallowed ingestion may cause nausea, vomiting & diarrhea. Consult a physician.
- Health Hazards : Acute & chronic (not expected).
- Emergency & First Aid Procedures:
  1. Dermal : Clean with soap & water.
  2. Ingestion : Consult a physician.
  3. Inhalation : Remove to fresh air.

### Fire & Fire Fighting Data

Flash Point	: None.
Flammable Limits	: None.
Extinguishing Media	: Foam, Alcohol Foam, Co2, Dry Chemical or Water.

### Physical / Chemical Characteristics

Vapor Density	: Heavier than air.
Evaporation Rate	: Slower than other.
Solubility in Water	: Soluble.
Appearance & Odor	: Paste, Mild Odor

For more information please refer to the Material Safety Data Sheet.