





Contact us

Al Ain : P.O.Box 15381 UAE, Tel.: (03) 7212 888, Fax: (03) 7210044, Email: alain@gulfpaints.com
Dubai : P.O.Box 15381 UAE, Tel.: (04) 3236253, Fax: (04) 3236254, Email: Dubai@gulfpaints.com
Abu Dhabi : P.O.Box 8013 UAE, Tel.: (02) 6734567, Fax: (02) 6733430, Email: abudhabi@gulfpaints.com
Sharjah : P.O.Box 22403 UAE, Tel.: (06) 5584071, Fax: (06) 5584072, Email: sharjah@gulfpaints.com



www.gulfpaints.com

FLOOR COATING

HIGH PERFORMANCE









Falco Epoxy Floor Paint "SF"

Based on pure epoxy two pack high performance self-leveling solvent free 100 % solid ontent product. Designed to resist aggressive chemicals, water, mineral oils, most of diluted acids and alkalis. It provides highly adhesion, a hard impact and abrasion resistance with an excellent coating for floors. Anti-slip aggregates to be applied when heavy tracks are expected.

Paint system

Falco epoxy sealer – one coat Or Falco epoxy sealer solvent free – one coat Falco Epoxy Floor Paint "Solvent Free" one or two coats "depend on thickness requirement"

Features


- Tensile strength
- Adhesion Power
- Low VOC
- Resistance to mold growth
- Water Resistance

- Flexural strength
- Fire Resistance
- Abrasion Resistance
- Alkali Resistance



Ral 7031

Smooth finish



Ral 7031

Texture finish





Falco Guard Concrete Floor Coating

Based on pure epoxy two pack high performance 55% solid content product. Designed to resist aggressive chemicals, water, mineral oils, most of diluted acids and alkalis. It provides a hard impact and abrasion resistance with an excellent coating for floors. Aggregates to be spread upon request to provide Anti-slip surfaces finish. It is produced with two grades matt and gloss finish.


Paint system

Falco epoxy sealer – one coat Falco Guard Concrete Floor Coating- two coat

Features

- Low VOC
- Chemical Resistance
- Flexural strength

- Abrasion Resistance
- Compressive strength
- Water Resistance







Falco Thermo Plastic Acrylic Floor Paint

Is based on a Thermoplastic Acrylic Resin solvent based product. It's formulated to give high protection on the substrate against water, normal solvents, oils, and petroleum products. Aggregates could be applied to the paint to give a heavy duty, Anti-slip and cleanable flooring.

Flooring Features

- Adhesion Power
- UV Resistance
- Low VOC
- Metal Free

Falco Road Marking

Is a based on special alkyd resin and chlorinated rubber blended with rich pigments having good color retention. It has excellent durability, flexibility and quick drying, It is highly water resistant, non bleeding on asphalt and unaffected by gasoline, oil etc. It has good mechanical and abrasion resistance.

Flooring Features

- Adhesion Power
- UV Resistance
- Low VOC
- Metal Free

